



Oil & Gas - PDT - Prysmian Downhole Technology

## **Exploration & Production**

# **Protectors**

**Termination Handling Clamp** 

## SPECIALTY: TERMINATION HANDLING CLAMP

Protectors are designed to ensure that all control lines and cables are protected for the full length of the production string, thus reducing the risk of damage to cable, control line, or flatpacks. PDT's Protector portfolio includes clamping and cable protection solutions to protect cables from lateral, axial, and rotational loading in downhole applications. In addition to our standard cross-coupling range, PDT designs application specific solutions for demanding situations

#### **APPLICATION**

The termination handling clamp is used for offshore and onshore completions. The termination handling clamp prevents excessive strain on lines at termination points making handling of multiple lines easier during termination on the deck. These protectors can be used with multiple lines and cable profiles.

### **STANDARDS & APPROVALS**

- All parts comply with NACE Standard MR0175 / ISO 15156

### **QUALITY & TESTING**

- Manufactured in accordance with standard Inspection and Quality Test Plans
- Factory Acceptance Testing Visual Inspection Make Up / Fit Test Dimensional Inspection Gap Verification Torque Test

#### **DESIGN & CONSTRUCTION**

- All Cast no welded parts
- One-piece assembly with captive fasteners
- No loose parts
- Interlocking Straps
- Custom retaining plates to suit line configuration
- Quick and Easy to install
- Designed for multiple uses
- Custom designs to meet application

#### **Materials**

- Carbon Steel

## **Common Tubing Sizes**

- 2- 3/8" / 2- 7/8" / 3- 1/2" / 4- 1/2" 5" / 5- 1/2"



DS-504-09 / REV 0